

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
S1	2	("5799048").PN.	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	OFF	2004/11/15 09:40
S2	2	("6044123").PN.	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	OFF	2004/11/15 09:40
S3	2	("6075416").PN.	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	OFF	2004/11/15 09:41
S4	2	("5742798").PN.	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	OFF	2004/11/15 09:42
S5	0	@ad<"20010828" and (CDR or (clock adj data adj recovery)) and (phase adj adjust) and multiplexer and (edge adj clock) and (data adj clock) and (later or early)	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2004/11/19 11:06
S6	0	@ad<"20010828" and (CDR or (clock adj data adj recovery)) and (phase adj adjust) and multiplexer and (edge adj clock) and (data adj clock)	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2004/11/15 09:45
S7	0	@ad<"20010828" and (CDR or (clock adj data adj recovery)) and (phase adj adjust) and (edge adj clock) and (data adj clock)	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2004/11/15 09:45
S8	0	@ad<"20010828" and (CDR or (clock adj data adj recovery)) and (phase adj adjust) and (edge adj clock)	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2004/11/15 09:46
S9	6	@ad<"20010828" and (CDR or (clock adj data adj recovery)) and (phase adj adjust)	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2004/11/15 09:46
S10	0	@ad<"20010828" and (phase adj adjust) and multiplexer and (edge adj clock) and (data adj clock) and (later or early) and 375/224-228.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2004/11/15 09:49

S11	0	@ad<"20010828" and (phase adj adjust) and multiplexer and (edge adj clock) and (data adj clock) and 375/224-228.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2004/11/15 09:49
S12	0	@ad<"20010828" and (phase adj adjust) and (edge adj clock) and (data adj clock) and 375/224-228.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2004/11/15 09:49
S13	5	@ad<"20010828" and (phase adj adjust) and 375/224-228.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2004/11/15 09:51
S14	25	@ad<"20010828" and (phase adj (adjust or control)) and 375/224-228.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2004/11/15 09:51
S15	0	@ad<"20010828" and (phase adj (adjust or control)) and (edge adj clock) and 375/224-228.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2004/11/15 09:51
S16	379	@ad<"20010828" and (phase adj (adjust or control)) and (edge adj clock)	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2004/11/15 09:52
S17	76	@ad<"20010828" and (phase adj (adjust or control)) and (edge adj clock) and 375/294-376.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2004/11/15 09:52
S18	5	@ad<"20010828" and (phase adj (adjust or control)) and (edge adj clock) and 375/294-328.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2004/11/15 09:56
S19	37	@ad<"20010828" and (phase adj (adjust or control)) and (master or slave) and 375/294-328.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2004/11/15 09:56
S20	0	@ad<"20010828" and (phase adj (adjust or control)) and ((master or slave) same (CDR or (clock adj data adj recovery))) and 375/294-328.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2004/11/15 09:57

S21	1	@ad<"20010828" and ((master or slave) same (CDR or (clock adj data adj recovery))) and 375/294-328.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2004/11/15 10:00
S22	1	@ad<"20010828" and ((master or slave) same (CDR or (clock adj data adj recovery))) and 375/224-228.ccls.	US-PGPUB; USPAT; EPO, JPO; DERWENT ; IBM_TDB	OR	ON	2004/11/15 10:00
S23	1	@ad<"20010828" and ((master or slave) same (CDR or (clock adj data adj recovery))) and 375/294-328.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2004/11/15 10:00
S24	2	@ad<"20010828" and ((master or slave) same (CDR or (clock adj data adj recovery))) and 375/370-376.ccls.	US-PGPUB; USPAT; EPO, JPO; DERWENT ; IBM_TDB	OR	ON	2004/11/15 10:02
S25	0	@ad<"20010828" and (master same slave same (CDR or (clock adj data adj recovery))) and 375/370-376.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2004/11/15 10:02
S26	0	@ad<"20010828" and (master same slave same (CDR or (clock adj data adj recovery))) and 327/144-241.ccls.	US-PGPUB; USPAT; EPO, JPO; DERWENT ; IBM_TDB	OR	ON	2004/11/15 10:03
S27	2	@ad<"20010828" and ((master or slave) same (CDR or (clock adj data adj recovery))) and 327/144-241.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2004/11/15 10:05
S28	0	@ad<"20010828" and ((master or slave) same (CDR or (clock adj data adj recovery))) and 327/2-3.ccls.	US-PGPUB; USPAT; EPO, JPO; DERWENT ; IBM_TDB	OR	ON	2004/11/15 10:05
S29	0	@ad<"20010828" and ((master or slave) same (CDR or (clock adj data adj recovery))) and 714/731-744.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2004/11/15 10:05
S30	2	@ad<"20010828" and ((multiple or plurality or (more adj than adj one)) same (CDR or (clock adj data adj recovery))) and 714/731-744.ccls.	US-PGPUB; USPAT; EPO, JPO; DERWENT ; IBM_TDB	OR	ON	2004/11/15 10:08

S31	8	@ad<"20010828" and ((multiple or plurality or (more adj than adj one)) same (CDR or (clock adj data adj recovery))) and 327/144-241.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2004/11/15 10:13
S32	2	@ad<"20010828" and ((multiple or plurality or (more adj than adj one)) same (CDR or (clock adj data adj recovery))) and 327/2-3.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2004/11/15 10:14
S33	26	@ad<"20010828" and ((multiple or plurality or (more adj than adj one)) same (CDR or (clock adj data adj recovery))) and 375/224-376.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2004/11/15 11:51
S34	0	@ad<"20010828" and ((self adj test) same slave same (CDR or (clock adj data adj recovery))) and 375/224-376.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2004/11/15 10:29
S35	0	@ad<"20010828" and ((self adj test) same (CDR or (clock adj data adj recovery))) and 375/224-376.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2004/11/15 10:30
S36	0	@ad<"20010828" and ((self adj test) same (CDR or (clock adj data adj recovery))) and 327/2-241.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2004/11/15 10:30
S37	1	@ad<"20010828" and ((self adj test) same (CDR or (clock adj data adj recovery))) and 714/731-744.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2004/11/15 10:31
S38	0	@ad<"20010828" and ((self adj test) same (slave or external) same (CDR or (clock adj data adj recovery)))	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2004/11/15 10:32
S39	0	@ad<"20010828" and ((self adj test) same (slave or external) same (CDR or (clock adj data adj recovery)))	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2004/11/15 10:31
S40	0	@ad<"20010828" and ((self adj test) same (slave or external) same (CDR or (clock adj data adj recovery)))	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2004/11/15 10:33

S41	3	@ad<"20010828" and ((self adj test) same (CDR or (clock adj data adj recovery)))	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2004/11/15 10:32
S42	214	@ad<"20010828" and ((slave or external) same (CDR or (clock adj data adj recovery)))	US-PGPUB; USPAT; EPO, JPO; DERWENT ; IBM_TDB	OR	ON	2004/11/15 10:33
S43	6	@ad<"20010828" and (slave same (CDR or (clock adj data adj recovery)))	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2004/11/15 10:35
S44	1	@ad<"20010828" and (slave same (clock adj data adj recovery))	US-PGPUB; USPAT; EPO, JPO; DERWENT ; IBM_TDB	OR	ON	2004/11/15 11:51
S45	31	@ad<"20010828" and (test\$3 same (multiple or plurality or (more adj than adj one)) same (CDR or (clock adj data adj recovery)))	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2004/11/15 11:55
S46	373	@ad<"20010828" and (test\$3 same (CDR or (clock adj data adj recovery)))	US-PGPUB; USPAT; EPO, JPO; DERWENT ; IBM_TDB	OR	ON	2004/11/15 11:55
S47	163	@ad<"20010828" and (test\$3 with (CDR or (clock adj data adj recovery)))	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2004/11/15 11:55
S48	17	@ad<"20010828" and (test\$3 with (clock adj data adj recovery))	US-PGPUB; USPAT; EPO, JPO; DERWENT ; IBM_TDB	OR	ON	2004/11/15 14:32
S49	2	("5422915").PN.	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	OFF	2004/11/15 12:02
S50	2	("5416433").PN	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	OFF	2004/11/15 12:02

S51	2	("5515403").PN.	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	OFF	2004/11/15 12:37
S52	0	wo-0070460-\$ did.	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2004/11/15 12:39
S53	0	w0-0070460-\$ did.	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2004/11/15 12:39
S54	0	wo-0070460-\$ did.	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2004/11/15 12:42
S55	2	("6516422").PN.	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	OFF	2004/11/15 12:43
S56	2	("6194969").PN	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	OFF	2004/11/15 12:43
S57	26	@ad<"20010828" and doblar-drew-g.in.	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2004/11/15 14:45
S58	2	("6687780").PN	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	OFF	2004/11/15 14:47
S59	2	("6809600").PN.	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	OFF	2004/11/15 14:47
S60	2	("6696829").PN	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	OFF	2004/11/15 14:48

S61	2	("6504438").PN.	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	OFF	2004/11/15 14:48
S62	0	@ad<"20010828" and (CDR or (clock adj data adj recovery)) and (phase adj adjust) and multiplexer and (minimum adj transition adj density)	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2004/11/17 09:04
S63	0	@ad<"20010828" and (CDR or (clock adj data adj recovery)) and (minimum adj transition adj density)	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2004/11/17 09:05
S64	0	@ad<"20010828" and (CDR or (clock adj data adj recovery)) and (minimum adj transition adj density)	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2004/11/17 09:05
S65	16	@ad<"20010828" and (minimum adj transition adj density)	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2004/11/17 09:17
S66	2	("5835501").PN	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	OFF	2004/11/17 09:19
S67	2	("5802073").PN.	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	OFF	2004/11/17 09:20
S68	2	("5729151").PN	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	OFF	2004/11/17 09:21
S69	2	("5295079").PN.	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	OFF	2004/11/17 09:21
S70	0	@ad<"20010828" and (CDR or (clock adj data adj recovery)) and (master with slave with phase with align\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2004/11/17 10:58

S71	5	@ad<"20010828" and (CDR or (clock adj data adj recovery)) and (master with slave with phase)	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2004/11/17 11:35
S72	3380	@ad<"20010828" and (clock same system same (integrated adj circuit))and computer	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2004/11/17 13:33
S73	3	@ad<"20010828" and ((clock adj (board or circuit or devide)) same (system adj (board or circuit or device)) same (integrated adj circuit))and computer	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2004/11/17 11:40
S74	34	@ad<"20010828" and ((phase adj rotator) with (select\$3 or multiplex\$3)) and (clock adj data adj recovery)	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2004/11/17 13:35
S75	0	@ad<"20010828" and ((phase adj rotator) with (select\$3 or multiplex\$3)) and (clock adj data adj recovery)	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2004/11/17 13:35
S76	0	@ad<"20010828" and (phase adj (adjust or control)) and (CDR or (clock adj data adj recovery)) and 375/326.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2004/11/18 16:33
S77	3	@ad<"20010828" and (phase adj (adjust or control)) and (CDR or (clock adj data adj recovery)) and 375/355.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2004/11/18 16:35
S78	0	@ad<"20010828" and (phase adj (adjust or control)) and (CDR or (clock adj data adj recovery)) and 341/61.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2004/11/18 16:34
S79	0	@ad<"20010828" and (phase adj (adjust or control)) and (CDR or (clock adj data adj recovery)) and 375/144.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2004/11/18 16:35
S80	0	@ad<"20010828" and (phase adj (adjust or control)) and (CDR or (clock adj data adj recovery)) and 375/148.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2004/11/18 16:36

S81	0	@ad<"20010828" and (phase adj (adjust or control)) and (CDR or (clock adj data adj recovery)) and 375/260.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2004/11/18 16:36
S82	0	@ad<"20010828" and (phase adj (adjust or control)) and (CDR or (clock adj data adj recovery)) and 375/267.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2004/11/18 16:36
S83	0	@ad<"20010828" and (phase adj (adjust or control)) and (CDR or (clock adj data adj recovery)) and 375/326.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2004/11/18 16:36
S84	0	@ad<"20010828" and (phase adj (adjust or control)) and (CDR or (clock adj data adj recovery)) and 375/347.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2004/11/18 16:37
S85	0	@ad<"20010828" and (phase adj (adjust or control)) and (CDR or (clock adj data adj recovery)) and 375/349.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2004/11/18 16:37
S86	0	@ad<"20010828" and (phase adj (adjust or control)) and (CDR or (clock adj data adj recovery)) and multiple\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2004/11/18 16:37
S87	40	@ad<"20010828" and (phase adj (adjust or control)) and (CDR or (clock adj data adj recovery)) and multiplex\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2004/11/18 17:00
S88	51	@ad<"20010828" and (phase adj (adjust or control)) and (CDR or (clock adj data adj recovery)) and samp1\$3 and (multiplex\$3 or select\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2004/11/18 17:01
S89	80	@ad<"20010828" and (CDR or (clock adj data adj recovery)) and (VCO with current)	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2004/11/19 11:07
S90	2	@ad<"20010828" and (CDR or (clock adj data adj recovery)) and (VCO with current) and VCO.ti.	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2004/11/19 11:08

S91	0	@ad<"20010828" and (CDR or (clock adj data adj recovery)) and (VCO with current with voltage) and VCO.ti.	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2004/11/19 11:09
S92	5	@ad<"20010828" and (CDR or (clock adj data adj recovery)) and (VCO with voltage) and VCO.ti.	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2004/11/19 11:14
S93	5	@ad<"20010828" and (CDR or (clock adj data adj recovery)) and (VCO with voltage) and (VCO with voltage) and VCO.ti.	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2004/11/19 11:15
S94	2	@ad<"20010828" and (CDR or (clock adj data adj recovery)) and (VCO with voltage) and (VCO with current) and VCO.ti	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2004/11/19 11:15